Product datasheet

ORIGINAL LINE HIR1

Original spare part





The cost-effective original spare parts

OSRAM ORIGINAL LINE halogen lamps offer convincing performance for standard requirements, are robust and cost-effective. They have already been successfully used in millions of new cars from renowned manufacturers, whether as standard initial equipment or original spare parts. Convince yourself of the excellent value for money, the reliable OEM quality and the wide product range of the ORIGINAL LINE.

© 2025, OSRAM GmbH. All rights reserved.

Technical data

Product information

Application (Category and Product specific)	Halogen headlight lamp

General Product Information

Global order reference	9011

Electrical Data


Power input	70 W [1)]
Nominal voltage	13.2 V
Nominal wattage	65 W
Test voltage	13.2 V

[1)] Maximum

Photometric Data

Nominal luminous flux	2500 lm
Luminous flux tolerance	±15 %

Physical Attributes & Dimensions



Diameter	11.3 mm
Product weight	19.65 g
Length	75.0 mm
Lamp base	PX20d

Lifetime Data

Lifespan B3	220 hr
Lifespan Tc	300 hr

© 2025, OSRAM GmbH. All rights reserved.

Capabilities

Technology	HAL

Certificates & standards

ECE category	HIR1

Environmental & Regulatory Information

Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACh)	
Primary article identifier	4008321863966
Candidate list substance 1	No declarable substances contained
Declaration no. in SCIP database	No declarable substances contained

Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4008321863966	ORIGINAL LINE HIR1	Folding carton box 1	47 mm x 47 mm x 71 mm	0.22 dm^3	26.00 g
4008321863980	ORIGINAL LINE HIR1	Shipping carton box 100	478 mm x 248 mm x 164 mm	19.44 dm^3	2832.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

Download Data

	File
	User instruction GPRS_Safety symbols instructions
	ref_pim_amsp_product360degreeimages ORIGINAL HIR1 9011

Application advice
For more detailed application information and graphics please see product datasheet.

Disclaimer
Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.











© 2025, OSRAM GmbH. All rights reserved.

© 2025, OSRAM GmbH. All rights reserved.