Product datasheet

ORIGINAL LINE H15

OEM quality for trucks





The cost-effective original spare parts for trucks

Continuously safe and robust: OSRAM ORIGINAL LINE is a balanced and economic solution for all standard requirements in the 24 V sector. Successfully used in millions of new vehicles from renowned manufacturers, whether as standard initial equipment or original spare parts. These reliable halogen lamps provide a convincing performance for standard requirements and are cost-effective. Convince yourself of the optimum price to performance ratio, the reliable OEM quality and the wide product range of the ORIGINAL LINE.

© 2025, OSRAM GmbH. All rights reserved.

Technical data

Product information

Application (Category and Product specific)	Halogen headlight lamp

General Product Information

Global order reference	64177

Electrical Data


Power input	73 / 24 W [1)]
Nominal voltage	24.0 V
Nominal wattage	20/60 W
Test voltage	28.0 V

[1)] Maximum

Photometric Data

Nominal luminous flux	300/1500 lm
Luminous flux tolerance	±10 / ±10 %
Color temperature	3200 K

Physical Attributes & Dimensions



Lamp base	PGJ23t-1
Length	79.0 mm
Diameter	13.0 mm
Product weight	23.00 g

Lifetime Data

Lifespan B3	200 / 1500 hr
Lifespan Tc	400 / 3000 hr

© 2025, OSRAM GmbH. All rights reserved.

Capabilities

Technology	HAL

Certificates & standards

ECE category	H15

Environmental & Regulatory Information

Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACh)	
Primary article identifier	4052899498587 | 4062172115599 | 4008321536556
Candidate list substance 1	No declarable substances contained
Declaration no. in SCIP database	No declarable substances contained

Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4008321536556	ORIGINAL LINE H15	FS ECO 1	36 mm x 36 mm x 82 mm	0.11 dm^3	27.00 g
4008321536570	ORIGINAL LINE H15	Shipping carton box 100	373 mm x 191 mm x 178 mm	12.68 dm^3	2880.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

Download Data

	File
	User instruction GPRS_Safety symbols instructions
	ref_pim_amsp_product360degreeimages ORIGINAL TRUCK H15 64177

Application advice
For more detailed application information and graphics please see product datasheet.

Disclaimer
Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.












© 2025, OSRAM GmbH. All rights reserved.

© 2025, OSRAM GmbH. All rights reserved.