Product datasheet

# ORIGINAL LINE H16

## Original spare part





### The cost-effective original spare parts

OSRAM ORIGINAL LINE halogen lamps offer convincing performance for standard requirements, are robust and cost-effective. They have already been successfully used in millions of new cars from renowned manufacturers, whether as standard initial equipment or original spare parts. Convince yourself of the excellent value for money, the reliable OEM quality and the wide product range of the ORIGINAL LINE.


© 2025, OSRAM GmbH. All rights reserved.

Technical data

## Product information

| | |
|---|---|
| **Application (Category and Product specific)** | Halogen headlight lamp |

## General Product Information

| | |
|---|---|
| **Global order reference** | 64219L+ |

## Electrical Data


| | |
|---|---|
| **Power input** | 26 W [1)] |
| **Nominal voltage** | 12.0 V |
| **Nominal wattage** | 19 W |
| **Test voltage** | 13.2 V |

[1)] Maximum

## Photometric Data

| | |
|---|---|
| **Nominal luminous flux** | 500 lm |
| **Luminous flux tolerance** | +10 %...15 % |

## Physical Attributes & Dimensions




| | |
|---|---|
| **Diameter** | 9.5 mm |
| **Product weight** | 18.80 g |
| **Length** | 67.0 mm |
| **Lamp base** | PGJ19-3 |

## Lifetime Data

| | |
|---|---|
| **Lifespan B3** | 1115 hr |
| **Lifespan Tc** | 2000 hr |


© 2025, OSRAM GmbH. All rights reserved.

## Capabilities

| | |
|---|---|
| **Technology** | HAL |

## Certificates & standards

| | |
|---|---|
| **ECE category** | H16 |

## Environmental & Regulatory Information

| **Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACh)** | |
|---|---|
| **Primary article identifier** | 4052899589599 \| 4062172051972 \| 4008321626851 \| 4008321626783 \| 4008321626837 \| 4052899403819 \| 4052899561861 |
| **Candidate list substance 1** | No declarable substances contained |
| **Declaration no. in SCIP database** | No declarable substances contained |

## Logistical Data

| Product code | Product description | Packaging unit (Pieces/Unit) | Dimensions (length x width x height) | Volume | Gross weight |
|---|---|---|---|---|---|
| 4008321626783 | ORIGINAL LINE H16 | FS ECO<br>1 | 33 mm x 37 mm x 71 mm | 0.01 dm³ | 25.00 g |
| 4008321626806 | ORIGINAL LINE H16 | Shipping carton box<br>100 | 341 mm x 191 mm x 154 mm | 10.03 dm³ | 2681.00 g |

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

## Download Data

| | File |
|---|---|
| | User instruction<br>GPRS_Safety symbols instructions |

**Application advice**
For more detailed application information and graphics please see product datasheet.

**Disclaimer**
Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.





© 2025, OSRAM GmbH. All rights reserved.

© 2025, OSRAM GmbH. All rights reserved.