Product datasheet

ORIGINAL LINE H18

Original spare part





The cost-effective original spare parts

OSRAM ORIGINAL LINE halogen lamps offer convincing performance for standard requirements, are robust and cost-effective. They have already been successfully used in millions of new cars from renowned manufacturers, whether as standard initial equipment or original spare parts. Convince yourself of the excellent value for money, the reliable OEM quality and the wide product range of the ORIGINAL LINE.

© 2025, OSRAM GmbH. All rights reserved.

Product datasheet

Technical data

Product information

Application (Category and Product specific)	Halogen headlight lamp

General Product Information

Global order reference	64180L

Electrical Data


Power input	69 W [1)]
Nominal voltage	12.0 V
Nominal wattage	55 W
Test voltage	13.2 V

[1)] Maximum

Photometric Data

Nominal luminous flux	1700 lm
Luminous flux tolerance	±8 %

Physical Attributes & Dimensions



Diameter	12.0 mm
Product weight	12.50 g
Length	59.0 mm
Lamp base	PY26d-1

Lifetime Data

Lifespan B3	700 hr
Lifespan Tc	1100 hr

© 2025, OSRAM GmbH. All rights reserved.

Capabilities

Technology	HAL

Certificates & standards

ECE category	H18

Environmental & Regulatory Information

Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACh)	
Primary article identifier	4052899327078 | 4052899479968
Candidate list substance 1	No declarable substances contained
Declaration no. in SCIP database	No declarable substances contained

Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4052899479968	ORIGINAL LINE H18	FS ECO 1	34 mm x 34 mm x 58 mm	0.07 dm³	16.00 g
4052899479982	ORIGINAL LINE H18	Shipping carton box 100	356 mm x 186 mm x 129 mm	8.54 dm³	1762.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

Download Data

	File
	User instruction GPRS_Safety symbols instructions
	ref_pim_amsp_product360degreeimages ORIGINAL H18 64180L

Application advice
For more detailed application information and graphics please see product datasheet.

Disclaimer
Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.











© 2025, OSRAM GmbH. All rights reserved.

© 2025, OSRAM GmbH. All rights reserved.