Product datasheet

ORIGINAL - METAL BASE RY10W

Original spare part





The cost-effective original spare parts for motorcycles

Discover OSRAM´s ORIGINAL signal lamps with metal bases - high-quality original spare parts for motorcycle lamps. Due to the wide product range, the lamps can be used for different applications. Use these lamps for example as position and parking lights or for number plate and side position lights of your motorcycle.

© 2025, OSRAM GmbH. All rights reserved.

Technical data

Product information

Application (Category and Product specific)	Auxiliary lamp

General Product Information

Global order reference	5009NA
Product remark	Amber lamp for clear indicators


Electrical Data

Power input	10 W
Nominal voltage	12.0 V
Nominal wattage	10 W
Power input tolerance	±10 %
Test voltage	13.5 V

Photometric Data

Nominal luminous flux	75 lm
Luminous flux tolerance	±20 %

Physical Attributes & Dimensions



Lamp base	BAU15s
Length	37.5 mm
Diameter	16.0 mm
Diameter	16.0 mm
Product weight	5.50 g

Lifetime Data

Lifespan B3	350 hr

© 2025, OSRAM GmbH. All rights reserved.

Lifespan Tc	800 hr

Capabilities

Technology	AUX

Certificates & standards

ECE category	RY10W

Environmental & Regulatory Information

Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACh)	
Primary article identifier	4062172252553 | 4062172062541 | 4062172159692
Candidate list substance 1	No declarable substances contained
Declaration no. in SCIP database	No declarable substances contained

Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4062172252553	ORIGINAL - METAL BASE RY10W	Unpacked 1	37 mm x 16 mm x 16 mm	0.01 dm^3	6.00 g
4062172252577	ORIGINAL - METAL BASE RY10W	Shipping carton box 50	205 mm x 144 mm x 64 mm	1.89 dm^3	403.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

Download Data

	File
	User instruction GPRS_Safety symbols instructions
	ref_pim_amsp_product360degreeimages ORIGINAL RY10W 5009

Application advice
For more detailed application information and graphics please see product datasheet.

Disclaimer
Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.

© 2025, OSRAM GmbH. All rights reserved.

© 2025, OSRAM GmbH. All rights reserved.