
Product datasheet

# ORIGINAL - GLASS WEDGE BASE -

Original spare part





## The cost-effective original spare parts for trucks

The ORIGINAL signal lamps with glass wedge bases are available as original spare parts for different lamp types. Use these original spare parts for interior lighting, as reading lights, for instrument and switch lighting, as position and parking light and a lot of other applications in your truck. Discover these reliable lamps and OSRAM´s proven high quality.


© 2025, OSRAM GmbH. All rights reserved.

# Product datasheet

## Technical data

### Product information

| | |
|---|---|
| **Application (Category and Product specific)** | Auxiliary lamp |

### General Product Information

| | |
|---|---|
| **Global order reference** | 2741 |


### Electrical Data

| | |
|---|---|
| **Power input** | 1.6 W |
| **Nominal voltage** | 24.0 V |
| **Nominal wattage** | 1 W |
| **Power input tolerance** | ±8 % |
| **Test voltage** | 28.0 V |

### Photometric Data

| | |
|---|---|
| **Nominal luminous flux** | 7.5 lm |
| **Luminous flux tolerance** | ±20 % |

### Physical Attributes & Dimensions




| | |
|---|---|
| **Lamp base** | W2x4.6d |
| **Length** | 20.0 mm |
| **Diameter** | 5 mm |
| **Diameter** | 5 mm |
| **Product weight** | 0.40 g |

### Lifetime Data

| | |
|---|---|
| **Lifespan B3** | 400 hr |
| **Lifespan Tc** | 2000 hr |


© 2025, OSRAM GmbH. All rights reserved.

# Product datasheet

## Capabilities

| | |
|---|---|
| **Technology** | AUX |

## Certificates & standards

| | |
|---|---|
| **ECE category** | - |

## Environmental & Regulatory Information

| **Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACh)** | |
|---|---|
| **Primary article identifier** | 4050300838519 \| 4008321012876 |
| **Candidate list substance 1** | No declarable substances contained |
| **Declaration no. in SCIP database** | No declarable substances contained |

## Country specific information

| Product code | METEL code | SEG-No. | STK-Number | UK Org |
|---|---|---|---|---|
| 4050300838519 | OSRA2741 | - | - | - |

## Logistical Data

| Product code | Product description | Packaging unit (Pieces/Unit) | Dimensions (length x width x height) | Volume | Gross weight |
|---|---|---|---|---|---|
| 4050300838519 | ORIGINAL - WEDGE BASE 2741 | Unpacked 1 | 5 mm x 5 mm x 20 mm | 0.00 $dm^3$ | |
| 4008321094889 | ORIGINAL - WEDGE BASE 2741 | Shipping carton box 50 | 148 mm x 115 mm x 55 mm | 0.94 $dm^3$ | 105.00 g |

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

## Download Data

| | File |
|---|---|
| | User instruction<br>GPRS_Safety symbols instructions |


**Application advice**

For more detailed application information and graphics please see product datasheet.

**Disclaimer**


© 2025, OSRAM GmbH. All rights reserved.

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.



OSRAM


© 2025, OSRAM GmbH. All rights reserved.